

TLPEB PVC-u Plasterboard Edge Bead

Data sheet

Issue Date:
March 2026

PVC-u Beads

PVC-u beads are now being used more and more, particularly in areas of high rainfall or extreme damp conditions. They provide an economical alternative to stainless steel products and are used in the same way as normal galvanised or stainless steel beads. They are manufactured from white high density polyvinylchloride high impact window grade material. Other colours are available and manufactured to order. The face of the bead is ribbed and perforated to produce a good plaster or mortar key and can be easily cut to size using a hacksaw.



TLPEB PVC-u Plasterboard Edge Bead

PVCu Plasterboard Edge Bead is a lightweight, corrosion-resistant alternative to metal beads, designed to protect and reinforce plasterboard and cement board edges for a clean, professional finish. Ideal for use at door frames, windows, skirting boards, changes of finish, or exposed system edges, it offers impact resistance and strong plaster adhesion via its perforated wing. Available in multiple depths, easily cut to size, and suitable for skimmed or decorative edges, it ensures durability and helps prevent cracking at vulnerable points.

Benefits

- Simple installation (with plaster dabs or appropriate fixings)
- Cost effective
- Easy to cut (by use of tin snips or fine tooth saw)
- Non corrosive

Standard: Meets the equivalent standards required for metal bead to BS EN 13658-2:2005

Material: Exterior grade impact resistant UV stable unplasticized PVC-u

Code	Size	Per Box	Weight
TLP125EB	2.5m x 12.5mm	50 lengths	7kgs
TLP15EB	2.5m x 15mm	50 lengths	8.5kgs

Goods to be stored and transported laying down and in dry conditions.

Please dispose or recycle in accordance with waste management regulations.

COSHH & Health & Safety.

Contains no substances hazardous to health. The comparative rough surface finish and sharp edges requires care when handling manually, to avoid risk of cuts and abrasions gloves should be worn.